

SUPPLEMENT TO

The Gazette



of India

No. 43]

NEW DELHI, SATURDAY, NOVEMBER 1, 1952

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 4th October, 1952

	CHOLERA		SMALLPOX		PLAGUE			CHOLERA		SMALLPOX		PLAGUE	
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.
STATES PART (A) & PART (C)								Bombay					
Ajmer							Greater Bombay	1	1	1
No incidence							Ahmedabad
(Estd. mid-year pop. 706 thousands)							Kaira
Total for w/e 27-9-52	Broach
Total for w/e 20-9-52	Panch Mahals
7-yearly mean for the week	Surat	2
							Thana
Assam							Bombay Suburbans
Cachar	Ahmednagar	3	1
Khasi and Jaintia Hills	6	East Khandesh
Naga Hills	West Khandesh	..	1	1
Goalpara	Amreli
Kamrup	Nasik
Darrang	Poona
Nowgong	2	Satara North	4	2
Sibsagar	Satara South
Lakhimpur	Sholapur	..	4	2
Badiya & Frontier Tracts	Sabarkantha
Garo Hills	Belgaum
TOTAL	8	Bijapur
(Estd. mid-year pop. 9,834 thousands)							Dharwar	..	4	2	1
Total for w/e 27-9-52	Kanara	1	1
Total for w/e 20-9-52	2	Ratnagiri
7-yearly mean for the week	11	5	2	1	Kolaba
							Kolhapur
Bhopal							Baroda
No incidence.							Navsari
(Estd. mid-year pop. 845 thousands)							Dangs
Total for w/e 27-9-52	Malwan
Total for w/e 20-9-52	Mehsana
7-yearly mean for the week	7	2	TOTAL	10	6	12	4
							(Estd. mid-year pop. 36,802 thousands).						
Bihar							Total for w/e 27-9-52	13	9	24	3
Returned not received.							Total for w/e 20-9-52	22	9	34	4
							7-yearly mean for the week	123	50	38	7	87	27

Explanation of Symbols used: --C. = Cast; D. = Dents.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 4th October, 1952—*contd.*

CHOLERA								CHOLERA							
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Goorg								Madras							
TOTAL 4								Visakhapatnam 11 8							
(Estd. mid-year pop. 237 thousands.)								Srikakulam 67 33							
Total for w/e 27-9-52								East Godavari 3 1							
Total for w/e 20-9-52 1								Krishna 1 1 0							
7-yearly mean for the week.								Guntur 17 5							
Delhi								Nellore 1 1 3							
Delhi city 1								Cuddappah 4 4 2							
TOTAL 1								Kurnool 6 2							
(Estd. mid-year pop. 1,744 thousands.)								Bollary 6 2							
Total for w/e 27-9-52								Anantapur 2							
Total for w/e 20-9-52 1 1								Madras 5 2 14 1							
7-yearly mean for the week.								Chingleput 4 1 2 1							
Himachal Pradesh								Chittoor 41 25 1							
Returns not received.								North Arcot 125 52 1 2							
Madhya Pradesh								Salem] 82 48 1 2							
Nagpur 1 1								Coimbatore 156 66							
Wardha								South Arcot 6 3 1							
Chanda								Tanjore 29 15 10 5							
Chhindwara								Tiruchirapalli 55 24 9 2							
Betul								Mathurai 71 25 1 1							
Bhandara 1 1 14 1								Ramnathapuram 3 2 1							
Jabalpur 2 1								Tirunelveli							
Sagar 4 1								Nilgiris							
Mandla								Malabar 5 2 13 1							
Hoshangabad 1 1								South Kanara							
Nimar								West Godavari 2							
Balaghat								TOTAL 695 321 72 16							
Raipur								(Estd. mid-year pop. 57,900 thousands.)							
Bilaspur								Total for w/e 27-9-52 536 243 104 30							
Durg 7 8								Total for w/e 20-9-52 630 345 91 30							
Bastar								7-yearly mean for the week. 470 242 250 54 43 19							
Burguja								Manipur							
Raigarh								No incidence							
Amravati 2 1								(Estd. mid-year pop. 588 thousands.)							
Yeshwantpur								Total for w/e 27-9-52							
Akola 8 1								Total for w/e 20-9-52							
Buldana 18 8								Orissa							
TOTAL 43 22 1 1 14 1								Cuttack 53 30 2							
(Estd. mid-year pop. 21,554 thousands.)								Balasore							
Total for w/e 27-9-52 87 45 4 1 56 . .								Puri 30 16							
Total for w/e 20-9-52 183 86 20 2 62 11								Sambalpur 3							
7-yearly mean for the week. 241 110 26 4 45 9								Khondmals							
								Ganjam Plains 14 11							

Explanation of symbols used :—C.—Cases ; D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 4th October, 1952—*contd.*

CHOLERA								SMALLPOX								PLAGUE							
		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.			
Orissa—contd.								Uttar Pradesh—contd.															
Ganjam Agency	Farrukhabad			
Koraput	Etawah			
Keonjhar	1	Kanpur			
Dhenkanal	Fatehpur			
Bolangir Patna	.	.	32	20	Allahabad			
Sundergarh	Jhansi			
Kalahandi	.	.	1	1	Jalaun			
Angul	Hamirpur			
Mayurbhanj	Banda			
TOTAL	.	130	78	6	Banaras			
(Estd. mid-year pop. 14,761 thousands)										Mirzapur			
Total for w/e 27-9-52	.	180	115	43	7	Jaunpur			
Total for w/e 20-9-52	.	241	154	51	19	Ghazipur	.	.	.	7	3			
7-yearly mean for the week.		34	22	43	8	Ballia			
Punjab (I)								Gorakhpur								Deoria							
No incidence.								..								22 7							
Tripura								Basti								Azamgarh							
No incidence.								..								6 6							
(Estd. mid-year pop. 668 thousands.)								Nainital								Almora							
..														
Total for w/e 27-9-52								..								Garhwal							
..														
Total for w/e 20-9-52								..								Lucknow							
..								..								4 2							
..								..								Unao							
..								..								14 3							
..								..								Rae Bareilli							
..								..								4 2							
..								..								Sitapur							
..														
Dohra Dun								Hardoi														
..														
Saharanpur								Kheri								4 2							
..														
Muzaffarnagar								Faizabad														
..														
Meerut								Gonda								9 3							
..														
Bulandshahr								Bahraich								7 4							
..														
Aligarh								Sultanpur														
..														
Mathura								Partabgarh														
..														
Agra								Bara Banki														
..														
Mainpuri								Rampur														
..														
Etah														
..														
Bareilly								TOTAL								126 56							
..														
Bijnor								(Estd. mid-year pop. 64,152 thousands.)								..							
..														
Budaun								Total for w/e 27-9-52								122 72 3							
..														
Moradabad								Total for w/e 20-9-52								210 101 1 .. 1 ..							
..														
Shahjahanpur								7-yearly mean for the week.								514 294 7 1 16 6							
..														
Pilibhit														
..														

Explanation of Symbols used : C. = Cases, D. = Deaths,

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 4th October, 1952.—*contd.*

CHOLERA							CHOLERA						
CHOLERA		SMALLPOX		PLAGUE			CHOLERA		SMALLPOX		PLAGUE		
C	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
West Bengal							Hyderabad— <i>contd.</i>						
<i>Return not received</i>							Mahbubnagar
							Hyderabad
Grand total for States Parts (A & C) excluding Bihar, Himachal Pradesh and West Bengal							TOTAL	.	13	17
(Estd. mid-year pop. 2,22,036 thousands)							Jammu and Kashmir						
Corresponding total for w/e 27-9-52							<i>Return not received.</i>						
Corresponding total for w/e 20-9-52							Madhya Bharat						
Corresponding 7-yearly mean for the week							<i>Return not received.</i>						
							Mysore						
STATES PART (B)							Bangalore	.	.	.	9	1	..
Hyderabad							Chikmagalur	1	..
Aurangabad	Chitaldrug
Parbhani	Hassan	.	.	.	10	7	..
Bhir	Kadur
Gulberga	.	.	.	1	1	..	Kolar	.	.	.	14	4	16
Rajchur	Mandya
Bidar	Mysore	.	.	.	1
Osmanabad	Shimoga	8	1
Warrangal	Tumkur
Kareemnagar	TOTAL	.	34	12	25	4	10
Adilabad	Patiala & East Punjab States Union						
Nizamabad	No incidence:						
Medak	Rajasthan						
Nalgonda	.	.	.	12	6	..	<i>Return not received.</i>						
							Saurashtra						
							Gohilwad	1
							Halar
							Madhya Saurashtra
							Sorath
							Zalawad	10	1
							TOTAL	10	2	..
							Travancore-Cochin						
							TOTAL	8	5	..

Explanation of symbols used :—C=Cases ; D=Deaths,

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 4th October, 1952—concl'd.

CHOLERA SMALLPOX PLAGUE

C. D. C. D. C. D.

Vindhya Pradesh

No incidence

POLIOMYELITIS

(Information based on patients treated in hospitals in important towns)

							Place	Period	Cases
Grand Total for States Part (B)	47	19	43	11	10	2	Uttar Pradesh	1—15 Sept. 1952	{ 4 Paretic
Grand Total for States Parts (A), (B) & (C)	1,051	502	147	32	24	3	Panjab (I)	16—30 Sept. 1952	{ 14 Paretic 3 non-Paretic

Explanation of Symbols used :—C.—Cases ; D.—Deaths

NEW DELHI-2 (INDIA)

The 27th October 1952.

K. MITRA,
for Registrar General, India.

NATIONAL SAVINGS CERTIFICATES

Available in three different series, maturing after 5, 7 and 12 years. The yield is 3%, 3.57% and 4.16% simple interest, respectively, at maturity. Thus, in the 12 year-certificates money increases by 50% on maturity. Interest is free of income-tax and super-tax and is not taken into account in arriving at the total taxable income.

The certificates are obtainable from Post Offices doing Savings Bank business in denominations of Rs. 5, 10, 50, 100, 500, 1,000 and 5,000. An individual can invest upto Rs. 25,000, and two joint holders upto Rs. 50,000/-.

Full particulars obtainable from Post Offices, District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioners, Simla.

Deposits accepted in multiples of Rs. 100/- upto a maximum of Rs. 25,000 for a single depositor and Rs. 50,000 for two persons jointly. Interest at 3½% per annum (free of all taxes and not taken into account in assessing the total taxable income) is paid or remitted to the depositor's address every year. Deposits accepted at offices of the Reserve Bank of India at Bombay, Calcutta, Delhi & Madras, and Branches of The Imperial Bank of India in other places transacting treasury business.

Full particulars obtainable from District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioners, Simla.

3½%

TEN-YEAR TREASURY SAVINGS DEPOSITS

AC.275

TODAY'S BEST INVESTMENT FOR SMALL SAVERS

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 4th October, 1952.

Town	Mid-1952 Popn. Est. (000)	B.	B.R.*	Deaths from :—										Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.						
STATES—(Parts A and C)																
Ajmer																
Ajmer	203	89	22·8	12	5	10	..	45	11·5	14			
Beawar	53	19	18·6	19	5	3	..	35	34·3	8			
TOTAL	256	108	21·9	31	10	13	..	80	16·3	22			
Assam																
Bhopal																
Bihar																
Returns not received.																
Bombay																
Ahmedabad	814	792	53·0	15	18	131	..	408	26·1	146			
Ahmednagar	83	81	50·7	4	1	8	..	26	16·3	8			
Amalner	46	42	43·1	3	..	1	..	12	13·6	..			
Bagalkot	33	21	33·1	3	..	1	1	9	14·2	1			
Baroda	219	169	40·1	56	..	5	1	76	18·0	20			
Barsi	43	38	46·0	1	..	2	..	11	13·3	2			
Belgaum	103	43	20·7	5	2	17	8·6	..			
Bhusawal	56	50	40·4	2	1	11	10·2	4			
Bijapur	68	24	18·4	4	2	13	9·9	..			
Broach	64	63	51·2	8	..	5	..	25	20·3	5			
Cambay	40	16	20·8	6	10	13·0	3			
Challegaon	31	26	43·6	4	1	9	15·1	3			
Dharwar	69	36	27·1	4	..	1	..	19	14·3	1			
Dhulia†																
Gadag-Betgeri	67	49	38·0	10	2	6	..	37	28·7	7			
Godhra	40	36	46·8	5	1	6	7·8				
Greater Bombay.	2,987	1,903	33·9	7	32	162	..	767	13·4	219			
Hubli	134	46	17·8	3	..	1	..	11	4·3	3			
Jalgaon	71	99	72·5	11	..	1	1	17	12·5	4			
Kalyan†																
Kolhapur	143	112	40·7	12	2	3	1	46	16·7	8			
Nandurbar.	31	22	36·9	1	1	..	6	10·1	3			
Malegaon	57	50	45·4	11	3	2	1	19	17·3	4			
Miraj†																
Nadiad	65	63	50·4	21	1	28	22·4	8			
Nasik	103	53	26·8	3	2	5	1	30	15·1	6			
Navsari	46	32	36·2	7	..	1	..	8	9·1	2			
Pandharpur	41	63	79·9	8	2	8	..	24	30·4	7			
Patan	44	30	35·5	12	2	1	..	15	18·1	4			
Poona	516	275	27·7	7	33	4	133	12·4	31			
Sangli	52	27	27·0	4	1	4	..	17	17·0	1			
Satara	38	16	23·3	3	1	11	15·1	2			
Sholapur†																
Surat	250	232	52·5	11	7	15	..	74	16·7	31			
Thana	53	30	29·4	5	12	11·8	3			
TOTAL	6,387	4,539	37·0	245	85	400	14	1,907	15·5	539			
Delhi State																
Delhi City	955	623	33·9	63	8	22	3	124	6·8	97			
New Delhi	304	319	54·6	6	..	6	..	54	9·2	9			
TOTAL	1,259	942	38·9	69	8	28	3	178	7·4	46			

*In cases of towns where there has been an abnormal movement of population it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 4th October, 1952—*contd.*

Town	Mid. 1952 Popn. Est. (000)	B.	B.R.*	Deaths from :—									Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.					
Madhya Pradesh															
Achalpur	86	41	59.2	5	1	15	21.7	3		
Akola†															
Amravati	90	93	53.7	11	3	3	..	34	19.6	10		
Bilaspur†															
Burhanpur	72	68	49.1	12	2	4	..	25	18.1	..		
Chanda	41	37	46.9	8	8	31	39.3	10		
Damoh †															
Gondia	39	67	89.3	13	5	4	2	30	40.0	3		
Hinganghat†															
Jabalpur	212	127	31.1	..	1	..	20	14	12	..	72	17.6	5		
Khandwa	54	17	16.4	6	2	13	12.5	..		
Nagpur	409	249	27.6	23	9	11	1	119	13.2	7		
Raipur	93	23	12.9	7	5	19	10.6	..		
Sagar†															
Wardha †															
Yeshmal	37	28	39.4	6	2	2	..	20	28.1	5		
TOTAL	1,143	750	34.1	..	1	..	111	51	36	3	378	17.2	49		
Madras															
Adoni	56	37	34.4	1	2	2	..	16	14.9	1		
Ambur	42	27	33.4	2	1	1	..	9	11.1	2		
Anekapalle	42	35	43.3	11	11	..	6	..	43	53.2	8		
Aruppukottai	50	44	45.8	3	1	6	..	19	19.8	5		
Bellary†															
Bhimavaram	32	28	45.6	3	2	10	16.3	2		
Channarayana	43	28	33.9	4	..	2	..	22	26.6	2		
Chitrala†															
Chittoor	40	41	53.3	2	3	..	1	..	17	22.1	7		
Coimbatore†															
Cuddalore	69	78	58.9	1	4	3	2	26	19.6	3		
Cuddappah	39	37	49.3	2	..	1	..	5	6.7	..		
Dindigul	82	33	20.9	4	3	5	..	23	14.6	4		
Eluru	90	40	23.1	2	1	2	2	31	17.9			
Erode	60	73	63.3	2	..	7	..	26	22.5			
Gudiyattam	47	54	59.7	1	4	11	12.2			
Guntur	124	86	34.1	1	11	6	1	1	49	19.4	4		
Kakinada	103	68	34.3	11	3	5	3	54	27.3	14		
Kancheepuram	86	120	72.6	1	6	2	7	1	55	33.3	10		
Karalkudi	39	38	50.7	1	3	2	..	12	16.0	2		
Karur	44	30	35.5	3	..	2	1	20	23.6	2		
Kazhikode	162	170	54.6	7	1	10	3	51	16.4	8		
Kumbakonam	95	71	38.9	1	2	6	..	36	19.7	7		
Kurnool	62	64	53.7	3	..	27	22.6	6		
Madras	1,488	1,240	42.9	2	1	..	71	109	172	..	717	24.8	159		
Mangalore	122	51	21.7	2	..	6	..	22	9.4	1		
Masulipatnam	81	58	37.2	4	30	19.3	3		
Mathurai	378	289	40.0	20	10	41	..	159	21.9	24		
Mayuram	45	33	38.1	1	1	..	12	13.0	2		
Melapalayam	38	17	23.3	3	1	3	..	12	16.4	3		
Negapattinam	59	69	60.8	..	2	..	3	2	5	2	33	33.5	9		
Nellore	85	102	63.4	3	..	7	2	38	23.4	8		
Ootacamund	43	39	48.3	1	5	..	15	18.6	8		
Palyamkottai	41	26	33.0	1	1	4	..	16	20.3	1		
Palghat	71	45	33.0	1	2	6	2	30	21.9	6		
Proddatur	38	30	41.1	2	..	1	..	7	9.6	3		
Pudukottai	46	22	24.9	3	1	1	..	11	12.4	1		
Rajahmundry	109	88	41.6	4	..	3	1	32	15.1	5		
Rajapalayam	63	39	32.2	2	2	2	..	12	9.9	1		
Salem	212	146	35.6	14	5	20	..	88	21.5	18		
Srivilliputtur	41	38	48.2	1	2	3	..	27	34.2	5		
Tanjore	105	99	40.0	..	2	4	8	1	44	21.8	5		
Tellicherry	63	57	47.0	1	6	3	21	17.3	3		
Tenali†															
Tiruchirappalli	226	78	17.9	19	..	65	15.0	88		
Tirunelveli	75	55	38.1	2	6	..	29	20.1			

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Disease; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 4th October, 1952—*contd.*

Deaths from :—

Town	Mid.-1952 Popn.-Est. (000)	I.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madras—<i>contd.</i>													
Tiruppur	55	50	47.3	..	2	..	3	19	18.0	5
Tiruvannamalai	31	36	60.4	3	7	..	21	35.2	2
Tuticorin	101	79	40.7	1	2	0	..	20	10.3	2
Vaniyambadi	40	25	32.5	10	3	5	..	31	40.3	6
Vellore	111	110	51.5	1	3	3	5	1	62	29.0	11
Vijayavada	171	125	38.0	1	7	..	2	..	35	10.1	13
Virudunagar	48	58	62.8	2	4	4	..	24	25.8	5
Visakhapatnam	113	64	29.5	3	5	4	1	44	20.2	8
Vizianagram	69	57	43.0	1	2	1	..	20	15.1	6
TOTAL	5,575	4,427	41.3	35	7	..	233	201	428	26	2,203	21.0	445
Orissa													
Berhampur	65	40	32.1	2	1	1	..	15	12.0	6
Cuttack	106	60	29.5	6	14	8	..	40	24.1	7
Puri	50	23	24.0	7	..	1	..	16	16.7	3
TOTAL	221	123	28.9	15	15	10	..	20	18.8	16
Punjab (I)													
Ambala	59	46	40.8	10	..	2	..	16	14.2	5
Amritsar	317	202	33.3	3	5	41	2	85	14.0	21
Batala	57	38	34.9	11	1	2	..	16	14.7	4
Bhiwani	53	43	42.4	14	6	4	..	32	31.6	12
Ferozepore	41	32	40.8	2	2	2	..	8	10.2	4
Hissar	36	35	50.8	4	7	10.2	4
Hoshiarpur	47	32	35.6	5	6	6.7	2
Jullundur	176	137	40.7	17	1	4	..	19	5.6	12
Karnal	61	48	41.1	5	1	2	..	14	12.0	5
Ludhiana	159	104	53.9	23	..	3	..	45	14.8	11
Moga	38	39	58.6	4	..	1	..	7	9.6	3
Panipat	57	57	52.3	10	1	3	..	19	17.4	8
Pathankot	31	20	33.7	2	3	5.1	..
Rewari	35	31	46.3	10	2	18	26.9	8
Rohtak†													
Simla†													
Sonepat†													
TOTAL	1,167	924	41.2	118	21	64	2	295	13.7	99
Uttar Pradesh													
Agra	344	434	66.0	5	11	88	..	195	29.6	66
Allahabad	322	213	34.6	6	1	35	..	83	13.5	17
Amroha	59	42	37.2	11	..	9	..	31	27.5	5
Bahraich	45	31	36.0	6	1	11	12.8	4
Ballia	32	18	29.4	4	11	18.0	3
Banaras	350	456	68.1	87	16	26	..	250	37.3	57
Banda	31	7	11.8	2	3	5.1	..
Bareilly	197	184	22.3	10	1	11	..	35	9.3	13
Basti†													
Bijnor†													
Badaun	53	38	37.5	19	2	3	..	32	31.6	11
Bulandshahr	39	19	25.5	9	9	12.1	3
Chandausi†													
Dehra Dun	124	25	10.5	1	..	1	..	15	6.3	4
Etawah	61	54	46.3	12	..	8	..	33	28.3	10
Faizabad-Ajudhya	79	48	31.8	4	1	6	..	19	12.6	..
Farrukhabad-Fatehgarh	76	36	24.8	6	5	1	..	19	13.1	5
Ferozabad	69	40	30.8	4	..	3	..	8	6.1	1
Ghaziabad	40	22	28.8	5	5	6.5	1
Ghaziipur	35	24	35.9	6	..	2	..	13	19.4	5
Gonda†													
Gorakhpur	128	54	22.1	8	4	2	..	27	11.0	6
Hapur	45	38	44.2	6	2	5	1	24	27.9	8
Hardwar	58	45	40.6	27	1	2	1	34	30.6	7
Hathras	58	66	59.5	12	4	5	..	28	25.2	8
Jaunpur	53	28	27.6	1	1	2	..	10	9.9	1
Jhansi	109	114	54.7	36	5	1	..	59	28.3	21

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 50,000 in India for the week ending the 4th October, 1952—contd.

Town	Mid.-1952 Popn.-Est. (000)	Deaths from :—										Total	D.R.*	I.D.
		B.	B.R*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
Uttar Pradesh—contd.														
Kanpur	662	430	34.0	111	33	35	10	318	25.1	117	
Kasganj	33	8	12.7	6	7	11.1	3	
Khurja	39	23	30.8	3	2	1	..	10	13.4	2	
Koili-Aligarh	141	70	26.0	12	9	2	..	35	13.0	9	
Lucknow	457	246	28.1	42	4	16	1	107	12.2	28	
Mathura	101	79	40.9	21	2	4	..	35	18.1	14	
Mau-Nath Bhanjan	35	48	71.7	9	15	22.4	..	
Meerut	167	100	31.3	11	4	7	1	31	9.7	7	
Mirzapur-Vindhyachal	90	56	32.5	11	4	2	..	24	13.9	6	
Moradabad	158	145	48.0	15	2	9	2	42	13.9	12	
Muzaffarnagar	67	65	50.7	15	26	20.3	11	
Pilibhit	45	37	43.0	6	3	2	..	24	27.9	7	
Rampur	140	7	2.6	2	2	.7	1	
Saharanpur	147	117	41.0	56	2	2	1	80	28.5	29	
Sambhal	62	31	26.1	4	5	2	..	14	11.8	3	
Shahjahanpur	99	101	53.3	42	..	6	1	66	34.9	21	
Sitapur†														
TOTAL	4,850	3,499	37.5	653	125	298	18	1,790	19.2	526	

West Bengal Return not received.

STATES (Part B)

Jammu and Kashmir Return not received.

Madhya Bharat

Greater Gwallor	249	69	14.5	4	1	1	..	15	3.1	1
Indore City	325	130	20.8	23	4	10	5	121	19.4	29
Ratlam City	66	18	14.2	5	3	8	..	25	19.7	..
Ujjain City	136	34	13.0	8	7	12	..	65	24.9	11
TOTAL	776	251	16.8	40	15	31	5	226	15.1	41

Mysore State

Bangalore City	825	265	16.7	23	16	160	10.1	..
Davanagere	59	30	26.4	3	14	12.3	..
Kolar Gold Fields	163	167	53.3	6	6	3	..	59	18.8	..
Mysore City	257	134	27.1	10	1	40	8.1	—
TOTAL	1,304	596	23.8	39	26	3	..	273	10.9	..

PEPSU

Return not received.

Rajasthan

Saurashtra

Bhavnagar	143	73	26.4	20	5	33	12.0	6
Dhoraji	45	21	24.3	7	..	1	..	11	12.7	—
Gondal †													
Jamnagar	109	38	18.1	16	..	1	..	23	11.0	4
Junagadh	63	43	35.5	10	..	3	2	30	24.8	8
Morvi	41	14	17.8	3	1	4	5.0	—
Porbandar	60	16	13.9	14	2	..	2	27	23.4	11
Rajkot	141	81	29.9	32	5	4	..	56	20.6	22
SurendraNagar †													
Vetnal	42	21	26.0	7	..	3	..	13	16.1	2
TOTAL	644	307	24.8	109	13	12	4	197	15.9	53

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 4th October, 1952—*contd.*

Town	Mid-1952 Popn. Est. (000)	Deaths from—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Travancore - Cochin															
Alleppey	124	63	26.4	1	..	4	..	14	5.9	2		
Changancherry	37	68	95.6	6	3	4	1	29	40.8	2		
Ernakulam	64	30	24.4	1	1	..	—	10	8.1	1		
Kottayam	46	50	56.5	6	1	1	2	16	18.1	4		
Mattancherri	76	31	21.2	1	..	3	..	12	8.2	1		
Nagercoil	83	33	20.7	3	..	1	..	10	6.3	1		
Quilon	68	34	26.0	1	4	..	11	8.4	1		
Trichur	71	26	19.0	—	1	..	4	2.9	..		
Trivandrum City	195	98	26.1	8	1	4	..	25	6.7	1		
TOTAL	764	433	29.8	..	—	..	26	7	22	3	131	23.7	13		

ARREAR RETURNS

Bihar					For w/e the 6th September, 1952												
Arrah	67	15	11.6	4	3	..	1	10	7.8	..
Bettiah	36	12	17.3	2	1	5	7.2	..
Bhagalpur	118	7	3.1	2	5	2.2	..
Chapra	66	27	21.3	1	1	16	12.6	1
Dhanbad	38	14	20.1	2	4	5.8	..
Darbhanga	86	17	10.3	3	2	11	6.7	..
Dinapur †																	
Gaya †																	
Jamalpur †																	
Jamshedpur	227	138	31.6	3	6	..	21	4.8	6
Monghyr	75	7	4.9	2	5	3.5	..
Muzaffarpur	77	22	14.9	7	2	10	6.8	..
Patna †																	
Purulia	43	4	4.8	1	1	3	3.6	..
Ranchi	113	10	4.6	8	1	1	..	22	10.1	..
TOTAL					946	273	15.0	1	32	13	7	1	112	6.2	7

West Bengal				For w/e the 20th September, 1952											
Asansol†															
Baldyabati	.	.	31	13	21.9	—	—	—	1	5	8.4	3
Bally†															
Bankura†															
Bansberia†															
Baranagar	.	.	80	57	37.3	3	5	3	..	20	13.1	—
Basirhat	.	.	36	7	10.2	..	—
Berhampur	.	.	58	33	29.7	—	6	..	3	..	18	16.2	1
Bhadreswar	.	.	33	15	23.8	1	..	2	..	5	7.9	..
Bhatpara	.	.	136	60	23.1	—	..	—	9	1	2	—	45	17.3	20
Budge-Budge	.	.	32	11	18.0	1	2	1	..	5	8.2	1
Burdwan	.	.	77	12	8.1	4	..	2	..	13	8.8	—
Calcutta	.	.	2,609	1506	30.2	1	1	—	66	100	163	4	723	14.5	219
Champdani	.	.	38	20	27.5	1	..	8	11.0	—
Cooch-Behar†															
Darjeeling†															
English Bazar	.	.	32	3	4.9	—	—	—
Garden Reach	.	.	114	28	12.8	6	..	1	..	20	9.2	3
Halisahar	.	.	37	4	5.7	4	5.7	..
Hooghly Chinsura	.	.	57	26	23.8	4	2	2	..	16	14.7	3
Howrah†															
Jalpaiguri†															
Kamarhati†															
Kanchrapara	.	.	61	14	12.0	1	..	1	9	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rates; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 4th October, 1952—*contd.*

Town	Mid.-1952 popn-Est. (000)	Deaths from :—											D.R.*	I.D.	
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total				
ARREAR RETURNS—conold.															
West Bengal—contd.															
Krishnagar†															
Midnapore†															
Nabadwip	.	.	59	34	30.1	—	4	1	8	7.1	..
Naihati	.	.	57	8	7.3	—	2	3	2.8	..
North Barrackpore	.	.	34	7	10.8	1	..	3	4.6	1
Panihati†															
Santipur†															
Serampore	.	.	70	32	22.0	8	8	28	19.3	..
Siliguri	.	.	35	4	6.0	1	2	3.0	..
South Dum-Dum	.	.	68	1	.8	—	—
South Suburban†															
Titagarh†															
Tollygunge	.	.	163	7	2.2	1	—	..	2	.6	..
TOTAL	.	.	3,023	1,902	25.2	1	1	—	116	120	182	4	929	12.3	286

Rajasthan													
<i>For w/e the 6th September, 1952.</i>													
Jaipur	307	46	7.2	—	—	—	44	8	49	1	122	19.6	46
Alwar	59	28	24.6	4	2	11	9.7	..
Bharatpur	38	45	60.5	10	1	4	..	15	21.1	—
Tonk	43	6	7.2	5	1	4	..	10	19.3	2
Sikar	46	19	21.9	—	1	1	5	..	7	8.1	6
Bikaner	117	47	20.8	5	3	10	2	26	11.5	3
Churu	43	3	3.6	3	—	3	3.6	..
Ganganagar	39	3	4.0	8	3	4.0	—
Kotah	66	6	4.7	—	..	—	8	11	8.7	—
Udaipur	94	4	2.2	..	—	—	2	..	1	—	3	1.7	1
TOTAL	852	207	12.6	..	—	—	90	16	73	3	217	13.2	58

Jammu & Kashmir													
Jammu	w/e 30-8-52	64	35	23.4	..	—	5	2	3	4	14	11.3	..
Srinagar	w/e 30-8-52	233	142	32.6	4	..	14	..	28	6.2	..
Srinagar	w/e 6-9-52	233	140	31.2	8	..	12	..	30	6.6	..

Bombay													
Dhulia	w/e 13-9-52	80	42	28.4	8	1	2	..	16	10.8	6
Malagaon	w/e 20-9-52	57	50	45.4	13	..	3	..	16	14.5	4
Thana	w/e 20-9-52	53	40	39.2	4	..	2	..	18	17.5	3

Assam													
<i>For w/e the 20th September, 1952</i>													
Shillong		56	16	14.9	3	..	9	8.4	2
Gauhati		45	11	12.7	13	1	38	43.9	..
Dibrugarh		40	10	13.0	1	1	1.3	..
Silchar		36	12	16.3	6	8.4	..
TOTAL		177	49	14.4	14	1	3	..	54	15.9	2

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.
† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

